CHIOSCO mobile

CHIOSCOMOBILE.EU

FOOD TRUCKS FOR FOOD LOVERS

THE MODERN WAY

TO DO FOOD BUSINESS.

CHIOSCO mobile

CHI SIAMO - WHO WE ARE

Chiosco Mobile è la divisione di MVS srl, azienda torinese con oltre 25 anni di esperienza nelle resine e nei materiali compositi. Produciamo chioschi mobili per street food unendo design, qualità e innovazione. Ogni chiosco è personalizzabile in grafica e funzioni, ideale per gelaterie, pizzerie, birrerie, cocktail bar e molto altro. **Qualunque sia la tua idea, noi la rendiamo mobile.**

Chiosco Mobile, a division of MVS srl in Turin, boasts over 25 years of expertise in resins and composites. A leader in mobile street food kiosks, we blend design, quality, and innovation. Each kiosk is fully customizable, ideal for ice cream, pizza, beer, or cocktail bars.
Your idea, made mobile.

I NOSTRI CHIOSCHI
OUR KIOSKS

SPEEDY

DREAM

DREAM CUP

FLORENS

DELIGHT 2

DELIGHT 3

DYNAMIC

DELIGHT 5

SUNNY

INFORMAZIONI | CONSULTATIONS:
+39 011 990.68.31
+39 328 886.48.97
antonella@chioscomobile.eu

Speedy

LE DIMENSIONI OVERALL DIMENSIONS	
ALTEZZA-HEIGHT	236cm/296cm
LARGHEZZA-WIDTH	219cm
CON CARRELLO WITH TRAILER	343cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Illuminazione interna composta da 2 faretti LED.
Interior lightning with 2 LED spotlights.

Impianto elettrico omologato fino a 6,5Kw con 6 prese, quadro elettrico e salvavita e presa industriale 220v-16ah.
Electrical system approved up to 6,5 kW, 220v-16ah industrial power plug, residual current device and 6 sockets.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, tap clinic lever, water pump with autoclave system and two 25 lt tanks (clear and waste waters).

Carrello rimorchiabile frenato ad uso stradale omologato 750 kg a pieno carico.
Braked trailer approved for road use 750 kg at full load.





Dream

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	245cm/305cm
LARGHEZZA-WIDTH	219cm
CON CARRELLO WITH TRAILER	341cm

DOTAZIONI BASE / STANDARD EQUIPMENT







Illuminazione interna con 2 faretti LED per una perfetta visibilità serale.
Interior lightning with 2 LED spotlights.

Impianto elettrico omologato fino a 6,5Kw con 6 prese, quadro elettrico, salvavita e presa industriale 220v-16ah.
Electrical system approved up to 6,5 kW, 220v-16ah industrial power plug, residual current device and 6 sockets.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, tap clinic lever, water pump with autoclave system and two 25 lt tanks (clear and waste waters).

Carrello rimorchiabile frenato ad uso stradale omologato 750 kg a pieno carico.
Braked trailer approved for road use 750 kg at full load.

Dream Cup

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	188cm/263cm
LARGHEZZA-WIDTH	242cm
CON CARRELLO WITH TRAILER	352cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Dotato di 2 faretti LED per un'illuminazione efficiente e a basso consumo.
Equipped with 2 LED spotlights for efficient, low-energy lighting.

Impianto elettrico Certificato fino a 6,5 Kw, completo di 6 prese, quadro elettrico con salvavita e una presa industriale 220v-16ah.
Electrical system certified up to 6.5 kW, complete with 6 sockets, an electrical panel with a circuit breaker, and one 220V–16A industrial socket.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, faucet with clinical lever, autoclave pump, and two 25-liter tanks for fresh and waste water.

Carrello rimorchiabile frenato ad uso stradale omologato 900kg a pieno carico.
Braked road trailer approved for towing, with a maximum authorized weight of 900 kg.







Florens

CLASSIC & XL

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	198cm/272cm
ALTEZZA XL-HEIGHT XL	218cm/292cm
LARGHEZZA-WIDTH	214cm
CON CARRELLO WITH TRAILER	341cm

DOTAZIONI BASE / STANDARD EQUIPMENT





Dotato di 2 faretti LED per un'illuminazione efficiente e a basso consumo.
Equipped with 2 LED spotlights for efficient, low-consumption lighting.

Impianto elettrico fino a 6,5Kw con 6 prese, quadro elettrico, salvavita e presa industriale 220v-16ah.
Electrical system up to 6.5 kW with six sockets, electrical panel, circuit breaker, and a 220V–16A industrial socket.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, tap clinic lever, water pump with autoclave system and two 25 lt tanks (clear and waste waters).

Carrello rimorchiabile frenato ad uso stradale omologato 750 kg a pieno carico.
Braked trailer approved for road use 750 kg at full load.

Delight 2

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	267cm
LARGHEZZA-WIDTH	216cm
CON CARRELLO WITH TRAILER	375cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Dotato di 2 faretti LED, oltre ai LED sui portelloni.
Equipped with 2 LED spotlights, in addition to the LEDs on the doors.

Impianto elettrico omologato fino a 6,5Kw con 6 prese, quadro elettrico, salvavita e presa industriale 220v-32ah.
Certified electrical system rated up to 6.5 kW, featuring 6 sockets, an electrical panel, a circuit breaker, and a 220V–32A industrial socket.



Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, faucet with clinical lever, autoclave pump, and two 25-liter tanks for fresh and waste water.





Carrello rimorchiabile frenato ad uso stradale omologato 1000 kg a pieno carico.
Braked road-legal trailer, approved for a maximum load of 1000 kg.

Delight 3

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	251cm
LARGHEZZA-WIDTH	212cm
CON CARRELLO WITH TRAILER	442cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Disponibile anche con pannelli solari
Also available with solar panels







Composta da 3 faretti a LED, e LED su portelloni.
Composed of 3 LED spotlights and LED lights on the doors.

Impianto elettrico ertificato fino a 6,5Kw con 9 prese, quadro elettrico, salvavita e presa industriale 220v-32ah.
Certified electrical system up to 6.5 kW with 9 sockets, electrical panel, circuit breaker, and 220V–32A industrial socket.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, tap clinic lever, water pump with autoclave system and two 25 lt tanks (clear and waste waters).

Carrello rimorchiabile frenato ad uso stradale omologato 1200 kg o 1500 kg a pieno carico
Braked road trailer approved for 1200 kg or 1500 kg gross weight.

Dynamic

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	275cm
LARGHEZZA-WIDTH	221cm
CON CARRELLO WITH TRAILER	446cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Dotato di 3 faretti LED oltre ai led sui portelloni.
Equipped with 3 LED spotlights, in addition to the LEDs on the doors.

Impianto elettrico fino a 6,5Kw con 13 prese, quadro elettrico e salvavita. Presa di corrente 220V - 32h industriale standard.
Electrical system rated up to 6.5 kW, featuring 13 sockets, an electrical panel, and a circuit breaker. Standard 220V - 32h industrial power outlet.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, clinical lever faucet, autoclave pump, and two 25-liter tanks for fresh and waste water.

Carrello rimorchiabile frenato ad uso stradale omologato 1350 kg o 1600 kg a pieno carico
Braked road trailer approved for 1350 kg or 1600 kg gross weight.







Delight 5

LE DIMENSIONI OVERALL DIMENSIONS	
ALTEZZA-HEIGHT	256cm
LARGHEZZA-WIDTH	219cm
CON CARRELLO WITH TRAILER	613cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Disponibile anche con pannelli solari
Also available with solar panels







Composta da 3 faretti a LED, e LED su portelloni.
Composed of 3 LED spotlights and LED lights on the doors.

Impianto elettrico certificato omologato fino a 6,5Kw con 14 prese, quadro elettrico, salvavita e presa industriale 220v-32ah.
Certified and approved electrical system up to 6.5 kW, with 14 sockets, electrical panel, circuit breaker, and 220V–32A industrial socket.

Lavello in acciaio, rubinetto con leva clinica, pompa autoclave e 2 serbatoi da 25 lt per acque chiare e acque scure.
Stainless steel sink, clinical lever faucet, autoclave pump, and two 25-liter tanks for fresh and waste water.

Carrello rimorchiabile frenato ad uso stradale omologato 2000 kg a pieno carico.
Braked road-legal trailer, approved for a maximum load of 2000 kg.

Sunny

LE DIMENSIONI
OVERALL DIMENSIONS

ALTEZZA-HEIGHT	285cm
LARGHEZZA-WIDTH	245cm x 229cm

DOTAZIONI BASE / STANDARD EQUIPMENT

Aperture indipendenti su 3 lati
Independent openings on 3 sides.

Stazionamento fisso su piattaforma con piedini regolabili.
Fixed installation on platform with adjustable feet.

Quadro elettrico 3 kW, 220V-16A (Opzionale 9 kW, 380V/220V)
Electrical panel 3 kW, 220V–16A (Optional 9 kW, 380V/220V)

Lavamani armadiato a pedale in acciaio inox con rubinetto.
Stainless steel pedal-operated washbasin with cabinet and faucet.







LASCIATI ISPIRARE
GET INSPIRED

Delight 3

Florens

Dream

Dynamic

Delight 2

Dynamic

Delight 2

Florens

HIOSCO mobile

HIOSCO
mobile

// **MVS s.r.l.**
Via U. Nobile 5
10040 Volvera (TO)
ITALY

INFO LINE
+39 328 88.64.897

W : www.chioscomobile.eu
E : antonella@chioscomobile.eu